



CC Porcelain II

CC Porcelain II

CC Porcelain II is a sober unglazed porcelain mosaic. Available in 4 neutral tones, which can be used in both commercial and residential projects.



CC Porcelain II Tender Gray 12"x12" Mosaic

Unglazed Porcelain

12"x12" Mosaic



CC Porcelain II Snow White & Black 12"x12" Mosaic



CC Porcelain II Tender Gray 12"x12" Mosaic

CC Porcelain II


Unglazed Porcelain

6 mm |     | 12"x12"
30x30 cm



Snow White

12"x12" Mosaic
UFCCP272-12MT




Taupe

12"x12" Mosaic
UFCCP289-12MT



Tender Gray

12"x12" Mosaic
UFCCP261-12MT



Black

12"x12" Mosaic
UFCCP259-12MT

CC Porcelain II

Unglazed Porcelain

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	C373	<=0.5%
Break Strength	C648	Min. 450
Scratch Hardness	MOH's Scale	5
Chemical Resistance	C650	Unaffected
Frost Resistance	C1026	Resistant
Group	See FAQ's	4
Deep Abrasion - Unglazed Tiles	C1243	-
PEI - Glazed Tiles	C1027	4-2 (Black)
Minimum Bond Strength (PSI)	C482	165
Dynamic Coefficient of Friction (DCOF)	A1371	<=0.42
Shade and Texture Rating	CTDA "V"	V2
Facial Dimensions	C499	Pass
Range of Thickness	C499	Pass
Warpage	C485	Pass
Wedging	C502	Pass

Packaging Info

Size	SF per carton	PC per carton
12"x12"	21.74	22