



**Roca**

**Bianco Venatino**

# Bianco Venatino

Bianco Venatino , a timeless masterpiece. The majestic elegance of marble, with its dark and strong veins, creates a dramatic and luxurious feeling in any project.



Bianco Venatino 35"x35" R PO

Glazed & Polished Porcelain

35"x35" R - 24"x48" R - 24"x24" R - 12"x24" R



Bianco Venatino 35"x35" R PO



Bianco Venatino 35"x35" R UP

# Bianco Venatino


Glazed & Polished Porcelain




35"x35" R 24"x48" R 24"x24" R 12"x24" R  
90x90cm 60x120cm 60x60cm 30x120cm



## Bianco Venatino




35"x35" R UP  
UBIAVMT3535R



35"x35" R PO  
UBIAVPO3535R



24"x48" R UP  
UBIAVMT2448R



24"x48" R PO  
UBIAVPO2448R



24"x24" R UP  
UBIAVUP161V



24"x24" R PO  
UBIAVPO161V



12"x24" R UP  
UFBIAV-1224



12"x24" R PO  
UFBIAV-1224PO



13"x13" UP Mosaic  
UFBIAV-13M



3"x12" UP Bullnose  
UFBIAV-S4312

## Technical Specifications

| CHARACTERISTICS                        | STANDARD    | DECLARED ASTM |            |
|--|-------------|---------------|------------|
|  |             | POLISHED      | UNPOLISHED |
| Water Absorption                       | C373        | <=0.5         | <=0.5      |
| Break Strength                         | C648        | Min. 335      | Min. 335   |
| Scratch Hardness                       | MOH's Scale | 3             | 4          |
| Chemical Resistance                    | C650        | Unaffected    | Unaffected |
| Frost Resistance                       | C1026       | Resistant     | Resistant  |
| Group                                  | See FAQ's   | 3             | 4          |
| Deep Abrasion - Unglazed Tiles         | C1243       | Pass          | Pass       |
| PEI - Glazed Tiles                     | C1027       | 4             | 4          |
| Minimum Bond Strength (PSI)            | C482        | 165           | 165        |
| Dynamic Coefficient of Friction (DCOF) | A1371       | <=0.40        | <=0.40     |
| Shade and Texture Rating               | CTDA "V"    | V3            | V3         |
| Facial Dimensions                      | C499        | Pass          | Pass       |
| Range of Thickness                     | C499        | Pass          | Pass       |
| Warpage                                | C485        | Pass          | Pass       |
| Wedging                                | C502        | Pass          | Pass       |

## Packaging Info

| Size               | SF per carton | PC per carton | Bx per pallet |
|--------------------|---------------|---------------|---------------|
| 12"x24" R          | 18.94         | 10            | 32            |
| 24"x24" R          | 19.05         | 5             | 30            |
| 24"x48" R          | 22.93         | 3             | 27            |
| 35"x35" R          | 25.83         | 3             | 24            |
| 13"x13" UP Mosaic  | 13.15         | 11            | 54            |
| 3"x12" UP Bullnose | 5.92          | 24            | 120           |