



Roca

Liverpool

Liverpool

The soft texture and cool tones offered in this porcelain cement-look series, create a contemporary environment in any space through a variety of formats and finishes.



Liverpool Blanco 24"x48" R UP

Glazed & Polished Porcelain

24"x48" R - 24"x24" R - 12"x24"R



Liverpool Cinza 24"x24" R



Liverpool Blanco 12"x24" R UP & 24"x48" R UP

Liverpool

Glazed & Polished Porcelain

7-10
mm




slim
Raza™

24"x48" R
60x120 cm

24"x24" R
60x60 cm

12"x24" R
30x60 cm




Blanco




24"x48" R UP
ULIVBGP2448R




24"x48" R PO
ULIVBPO2448R




24"x24" R UP
I9607019




24"x24" R PO
I9608014



12"x24" R UP
I9607021



12"x24" R PO
I9607015



Cinza




24"x48" R UP
ULIVCGP2448R




24"x48" R PO
ULIVCPO2448R




24"x24" R UP
I9609006




24"x24" R PO
I9609008



12"x24" R UP
I9609004



12"x24" R PO
I9609010



Gris



24"x48" R UP
ULIGRGP2448R




24"x48" R PO
ULIGRPO2448R




24"x24" R UP
I9608020




24"x24" R PO
I9607013



12"x24" R UP
I9608022



12"x24" R PO
I9608016




Grafito




24"x48" R UP
ULIVGGP2448R




24"x48" R PO
ULIVGPO2448R



24"x24" R UP
I9606018



24"x24" R PO
I9606012



12"x24" R UP
I9606020



12"x24" R PO
I9606014

Liverpool

Glazed & Polished Porcelain

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM	
		Polished	Unpolished
Water Absorption	C373	<=0.5%	<=0.5%*
Break Strength	C648	Min 335	Min 335
Scratch Hardness	MOH's Scale	3	5
Chemical Resistance	C650	Unaffected	Unaffected
Frost Resistance	C1026	Resistant	Resistant
Group	See FAQ's	3	4
PEI Glazed Tiles	C1027	3	-
Minimum Bond Strength (PSI)	C482	165	165
Dynamic Coefficient of Friction (DCOF)	A137.1	<=0.40	>=0.42
Shade and Texture Rating	CTDA "V"	V3	V3
Facial Dimensions	C499	Pass	Pass
Range of Thickness	C499	Pass	Pass
Warpage	C485	Pass	Pass
Wedging	C502	Pass	Pass

Packaging Info

Size	SF per carton	PC per carton	BX per pallet
12"x24" R	18.94	10	32
24"x24" R	19.05	5	30
24"x48" R	22.93	3	27