



EVO LUX®
LUXURY EVOLVING

Lotus



Lotus

The Lotus Series captures the classic look of natural wood, presenting a simple yet elegant aesthetic ideal for any space that desires a touch of natural beauty.

Lotus Maple 7"x48"

Glue Down - 12 mil - Wood Embossed



7"x48"



Lotus Blonde 7"x48"



Lotus Ash 7"x48"



Lotus Snow 7"x48"

Lotus

Glue Down


2 mm



7"x48" 12 mil - Wood Embossed
18x122 cm



Blonde




7"x48"
EVLOTU1003



Taupe



7"x48"
EVLOTU1007



LVT

Lotus Blonde 7"x48"



Lotus Taupe 7"x48"

Lotus

Glue Down

2 mm




7"x48" 12 mil - Wood Embossed
18x122 cm



Lotus Cocoa 7"x48"




Snow



7"x48"
EVLOTU1005



Cocoa



7"x48"
EVLOTU1008



Ash



7"x48"
EVLOTUL005



Maple



7"x48"
EVLOTU1006

Technical Specifications

	Standard	Result
Thickness		2.0mm
Size		7"x48"
Material		Virgin Vinyl
Wear Layer		12 mil
Surface Treatment		Diamond Guard / Health Guard
Surface Texture		Wood Emboss
Warranty	Commercial / Residential	10 year Light Commercial / Limited Lifetime Residential
Installation		Glue down
Beveled Edge		No
Classification	ASTM F1700	Class III Type B
Reaction to fire	ASTM E648-06	Class 1
Smoke Density	ASTM E662-06	Pass <450
Slip resistance	ASTM C1028	Pass ADA Compliant (>0.50)
Staining resistance	ASTM F925	Pass
Light Resistance	ASTM F1514	Pass
Abrasion resistance	ASTM D4060-14	Pass
Dimensional stability	ASTM F2199	Pass 0.011 in / ft <0.020 in / ft
Acoustic impact noise reduction	ASTM E2179-09 ASTM E492-09	ΔIIC = 4 dB
Static load	ASTM F970	Pass 1000 psi / 250 psi (<0.005 in)
Flexibility	ASTM F137	Pass
Phthalate free		Yes



Packaging Information

Size	SF per carton	PC per carton	BX per pallet
7"x48"	32.70	14	85