



Roca

Panama

Panama

Panama is a collection whose design is inspired by three oak varieties that combine their most unique characteristics to create a balanced and beautiful fusion. The result is a finish that rivals natural woods, thanks to the advanced manufacturing techniques that make this perfect amalgam of micro-reliefs, shades and mottled areas possible. The level of detail in the Panama porcelain collection is astonishing, with an extremely rich and natural response to light. The surprisingly authentic finishes allow for the creation of warm and welcoming spaces, thanks to the mix of shades and textures. Panama is the perfect union of technology and design, quality and beauty; the ideal alternative to natural wood.

Glazed Porcelain


 8"x48" R | 12"x36" R

Panama

Glazed Porcelain

9-10.5 mm | 8"x48" R 19.5x120 cm | 12"x36" R 30x90 cm



Roble



8"x48" R



Suite Roble



12"x36" R

Panama

Glazed Porcelain

9-10.5 mm | 8"x48" R 19.5x120 cm | 12"x36" R 30x90 cm

Technical Specifications

| CHARACTERISTICS | STANDARD | DECLARED ASTM |
|--|--------------|-------------------------------|
| Water Absorption | ISO-10545/3 | <=0.5% |
| Break Strength | ISO-10545/4 | Min. 1500 N |
| Chemical Resistance | C650 | Class A (Resist) ¹ |
| Stain Resistance | ISO-10545/14 | 5 |
| Frost Resistance | C1026 | Resistant |
| Thermal Shock Resistance | ISO-10545/9 | Resistant |
| Crazing Resistance | ISO-10545/11 | Resistant |
| Group | See FAQ's | 4 |
| PEI- Glazed Tiles | C1027 | PEI (V) |
| Dynamic Coefficient of Friction (DCOF) | A326.3 | >=0.42 |
| Shade and Texture Rating | CTDA | V3 |
| Facial Dimensions | C499 | Pass |
| Range of Thickness | C499 | Pass |
| Warpage | C485 | Pass |
| Wedging | C502 | Pass |

Packaging Info

| Size | SF per carton | PC per carton | BX per pallet |
|---------|---------------|---------------|---------------|
| 8"x48" | 12.92 | 5 | 48 |
| 12"x36" | 11.63 | 4 | 48 |